



Ozone_cci+

Algorithm Development Plan (ADP)

Date : 16/12/2025

Version : 3.2

Reference : Ozone_cci+_D2.3_ADp_v3.2

WP Manager : V. Sofieva

WP Manager Organization : FMI

Other partners : BIRA-IASB, DLR, RAL, ULB, FMI, IUP-UB



DOCUMENT PROPERTIES

Title D2.3 Algorithm Development Plan (ADP)
Reference Ozone_cci+_D2.3_ADP_v3.2
Issue 3
Revision 2
Status Final
Date of issue 16/12/2025
Deliverable D2.3

	FUNCTION	NAME	DATE	SIGNATURE
LEAD AUTHOR	Science Leader	D. Hubert	16/12/2025	
CONTRIBUTING AUTHORS	Project partner	J. van Gent, T. Danckaert, M. Coldewey-Egbers, K.-P. Heue, B. Latter, R. Siddans, K. L. Chan, C. Wespes, V. Sofieva, C. Arosio, A. Rozanov, K. U. Eichmann	16/12/2025	
APPROVED BY	ESA	M. Eisinger		
ISSUED BY	Science Leader	D. Hubert	16/12/2025	



DOCUMENT CHANGE RECORD

Issue	Revision	Date	Modified items	Observations
0	0	25/11/2022	Initial template	Creation of document
	1	15/12/2022	Input from algorithm teams	
	2	21/12/2022	First complete draft for revision	
1	0	24/01/2023	Accepted by ESA	
2	0	05/07/2023	Input from algorithm teams	
	1	04/10/2023	Accepted by ESA	
3	0	12/11/2025	Algorithm development for first year of Phase 3	
	1	02/12/2025	Clarification for GEO development	
	2	16/12/2025	Development plan for second year	



Executive Summary

This Algorithm Development Plan (ADP, deliverable D2.3 in Ozone_cci+) describes the plans for algorithmic developments addressing total ozone columns, tropospheric ozone columns, nadir- and limb-based ozone profiles. A series of new algorithms will be developed and existing ones improved with a focus on ozone data products at different product levels (Table 1).

The present issue details the development plan for the second year (2026) of the current phase of the project.



Table of Contents

1	Purpose and scope.....	6
1.1	Purpose	6
1.2	Scope.....	6
1.3	Applicable documents	6
1.4	Reference documents.....	6
1.5	Acronyms	8
2	Algorithm Development Plan (2026)	10
2.1	Overview	10
2.2	Total ozone developments	12
2.2.1	OMI GODFIT using Collection 4 (level-2).....	12
2.2.2	GTO-ECV (level-3)	12
2.3	Tropospheric ozone developments	12
2.3.1	GTTO-ECV (level-3)	12
2.3.2	CHORA scheme applied to GODFIT total ozone (level-3).....	12
2.3.3	GTO-LIMB (level-3)	13
2.3.4	Geostationary sensors (GEMS, TEMPO; level-2).....	13
2.4	Nadir profile developments.....	13
2.4.1	Sentinel-5P (level-2)	13
2.4.2	GOP-ECV (level-3)	13
2.4.3	Merged IASI (level-3)	13
2.5	Limb profile developments.....	13
2.5.1	LIMB-UTLS (level-3)	13
2.5.2	OMPS-LP on NOAA-21 (level-2).....	13
2.5.3	Merged OMPS-LP SNPP and NOAA-21 (level-3).....	14



1 Purpose and scope

1.1 Purpose

This document summarises the plans of the Ozone_cci+ team for algorithmic developments addressing total ozone columns, nadir- and limb-based ozone profiles, and tropospheric ozone. This plan is expected to evolve and shall be updated as the definition of the ozone ECV product consolidates and the understanding of algorithmic issues improves.

1.2 Scope

The scope of the ADP is to establish through analysis of the trade-off between requirements and feasibility, a prioritisation of what R&D on ECV data product generation should be developed to maximise benefits to the users. The document also includes a specification of the ECV products planned for development in the project. The ADP is provided as an annex to the Project Management Plan (PMP).

1.3 Applicable documents

- [AD-1] CCI Data Standards v2.3, ref: CCI-PRGM-EOPS-TN-13-0009, 26 July 2021. Available online at: https://climate.esa.int/documents/1284/CCI_DataStandards_v2-3.pdf
- [AD-2] CCI Data Policy v1.1, ref: CCI-PRGM-EOPS-TN-13-0019, 12 July 2013. Available online at: http://cci.esa.int/sites/default/files/CCI_Data_Policy_v1.1.pdf

1.4 Reference documents

- [RD-1] GCOS Climate Monitoring Implementation Principles, November 1999. Available online at: <https://gcos.wmo.int/en/essential-climate-variables/about/gcos-monitoring-principles>
- [RD-2] Guideline for the Generation of Satellite-based Datasets and Products meeting GCOS Requirements, GCOS Secretariat, GCOS-143, May 2010 (WMO/TD No. 1530). Available online at: https://library.wmo.int/index.php?lvl=notice_display&id=12884#.Y5nN-XbTVOR
- [RD-3] The Space Agency's Response to GCOS Implementation Plan (IP). The Joint CEOS/CGMS Working Group on Climate (WGClimate), 2017. ESA-ECO-EOPS-WGCL-RP-17-0061. Version 1.0. Available online at: https://ceos.org/document_management/Publications/Space-Agency-Response-to-the-GCOS-IP/Space%20Agency%20Response%20to%20GCOS%20IP%20v1.5.pdf
- [RD-4] Quality assurance framework for earth observation (QA4EO): <http://qa4eo.org>



- [RD-5] EU Research Programmes on Space and Climate: Horizon 2020 (H2020), (<http://ec.europa.eu/programmes/horizon2020/en/h2020-section/space>, <https://ec.europa.eu/programmes/horizon2020/en/h2020-section/climate-action-environment-resource-efficiency-and-raw-materials>) and Copernicus (<http://www.copernicus.eu/>).
- [RD-6] The Global Observing System for Climate: Implementation Needs, GCOS-200, October 2016. Available online at: <http://library.wmo.int>
- [RD-7] Status of the Global Observing System for Climate, GCOS-195, October 2015. Available online at: <http://library.wmo.int>
- [RD-8] The GCOS Status Report 2021, GCOS Secretariat, GCOS-240, September 2021. Available online at: <https://gcos.wmo.int/en/gcos-status-report-2021>
- [RD-9] The 2022 GCOS Implementation Plan, GCOS-244, October 2022. Available at : <https://gcos.wmo.int/en/publications/gcos-implementation-plan2022>
- [RD-10] Hollmann, R., et al., The ESA climate change initiative: Satellite data records for essential climate variables. American Meteorological Society. Bulletin, Vol. 94, No. 10, 2013, p. 1541-1552.
- [RD-11] Joint Committee for Guides in Metrology, 2008, Evaluation of measurement data — Guide to the expression of uncertainty in measurement (GUM), JGCM 100: 2008. Available online at <http://www.bipm.org/en/publications/guides/gum.html>.
- [RD-12] Merchant, C. J., Paul, F., Popp, T., Ablain, M., Bontemps, S., Defourny, P., Hollmann, R., Laverne, T., Laeng, A., de Leeuw, G., Mittaz, J., Poulsen, C., Povey, A. C., Reuter, M., Sathyendranath, S., Sandven, S., Sofieva, V. F., and Wagner, W.: Uncertainty information in climate data records from Earth observation, Earth Syst. Sci. Data, 9, 511–527, <https://doi.org/10.5194/essd-9-511-2017>, 2017.
- [RD-13] Ohring, G., et al. (2007), Achieving satellite instrument calibration for climate change, Eos Trans. AGU, 88(11), 136– 136, doi:10.1029/2007EO110015.
- [RD-14] Popp, T., Hegglin, M.I., Hollmann, R., Arduin, F., Bartsch, A., Bastos, A., Bennett, V., Boutin, J., Brockmann, C., Buchwitz, M. and Chuvieco, E., 2020. Consistency of satellite climate data records for Earth system monitoring. Bulletin of the American Meteorological Society, 101(11), pp.E1948-E1971, <https://doi.org/10.1175/BAMS-D-19-0127.1>
- [RD-15] Copernicus Space Component: https://www.esa.int/Our_Activities/Observing_the_Earth/Copernicus/Space_Component
- [RD-16] User requirements for monitoring the evolution of stratospheric ozone at high vertical resolution (Operoz), 2015, ESA Expro contract 4000112948/14/NL/JK. Available at: https://media.suub.uni-bremen.de/bitstream/elib/4650/1/operoz_final_report_20150301_pdfa.pdf
- [RD-17] CCI+ Ozone User Requirements Document: ESA Ozone_cci+ User Requirements Document (URD), Ref. Ozone_cci+_D1.1_URD_v5.1, Issue 5, Revision 1, 14/10/2025.



1.5 Acronyms

ACE-FTS	Atmospheric Chemistry Experiment – Fourier Transform Spectrometer
ADP	Algorithm Development Plan
BIRA-IASB	Royal Belgian Institute for Space Aeronomy
CCD	Convective Cloud Differential
CCI	Climate Change Initiative
CDR	Climate Data Record
CHORA	Cloud Height and Ozone Reference Analysis
C3S	Copernicus Climate Change Service
DLR	German Aerospace Centre
ECMWF	European Centre for Medium-range Weather Forecast
ECV	Essential Climate Variable
ENVISAT	Environmental Satellite (ESA)
EO	Earth Observation
ESA	European Space Agency
EU	European Union
EUMETSAT	European Organisation for the Exploitation of Meteorological Satellites
FMI	Finnish Meteorological Institute
GAW	Global Atmosphere Watch
GCOS	Global Climate Observation System
GOME	Global Ozone Monitoring Experiment
GOME-2	Global Ozone Monitoring Experiment – 2
GOMOS	Global Ozone Monitoring by Occultation of Stars
GOP	GOME-type Ozone Profile
GTO	GOME-type Total Ozone
GTTO	GOME-type Tropical Tropospheric Ozone
IASI	Infrared Atmospheric Sounding Interferometer
IR	Infrared
IUP-UB	Institute of Environmental Physics, University of Bremen
JPSS	Joint Polar Satellite System
KNMI	Royal Netherlands Meteorological Institute
MetOp	Meteorological Operational Platform (EUMETSAT)
MIPAS	Michelson Interferometer for Passive Atmospheric Sounding
MLS	Microwave Limb Sounder
NASA	National Aeronautics and Space Administration
NDACC	Network for the Detection of Atmospheric Composition Change
OMI	Ozone Monitoring Instrument
OMPS	Ozone Mapping and Profiler Suite
OSIRIS	Optical and Spectroscopic Remote Imaging System
PSD	Product Specifications Document
RAL	Rutherford Appleton Laboratory



R&D	Research & Development
S5P	Sentinel-5 Precursor
SCIAMACHY	Scanning Imaging Absorption Spectrometer for Atmospheric Cartography
Suomi-NPP	Suomi National Polar-orbiting Partnership
TOMS	Total Ozone Mapping Spectrometer
TROPOMI	Tropospheric Ozone Monitoring Instrument
ULB	Université Libre de Bruxelles
URD	User Requirements Document
UV	Ultraviolet



2 Algorithm Development Plan (2026)

2.1 Overview

Algorithm developments planned in this project aim at improving and enhancing the current portfolio of ozone data products generated in previous phases of the CCI programme. Efforts will concentrate on (1) improving and extending existing data records forward in time, (2) adding a profile product suitable for UTLS studies, (3) testing retrievals for the recently launched geostationary sensors, (3) reducing uncertainties and improving the characterization of the data sets, through improved error budget analysis and better identification of various sources of biases.

Table 1 presents a tentative overview of the planned distribution of efforts on algorithm developments during the two contractual phases of the projects (2025-2026). Detailed descriptions of the planned activities during the second year (2026) are given in the following subsections. Activities in grey will lead to data products that are available on request, but these will not be part of the public Ozone_cci+ data release.



Table 1: Overview of ozone algorithm developments planned over the 2025-2026 period, coinciding with the third phase of Ozone_cci+.
Activities in grey will not lead to a publicly released CCI data product, but these products can be made available on request.

Algorithm development	Responsible team	Product Level	2025				2026			
			Q1	Q2	Q3	Q4	Q1	Q2	Q3	Q4
Total ozone developments										
Adaptation of GODFIT to retrieve OMI Collection 4	BIRA-IASB	L2								
Inclusion of reprocessed OMI Col4 in GTO-ECV	DLR	L3								
Development of cloud-screened GTO-ECV	DLR	L3								
Tropospheric ozone developments										
Inclusion of reprocessed OMI Col4 in GTTO-ECV	DLR	L3								
Application of CHORA CCD scheme to GOME-type sensors	IUP-UB	L3								
Merging of GOME-type CHORA columns	IUP-UB	L3								
Updates and extension of GTO-LIMB	FMI	L3								
Prototype retrieval schemes for GEMS & TEMPO	RAL	L2								
Nadir profile developments										
Updates to S5P retrieval scheme	RAL	L2								
Updates and extension of GOP-ECV	DLR	L3								
Updates and extension of IASI merging scheme	ULB	L3								
Limb profile developments										
Updates and extension of SAGE-CCI-OMPS+	FMI	L3								
Updates and extension of MEGRIDOP	FMI	L3								
Updates and extension of LIMB-HIRES	FMI	L3								
Development of UTLS data record (LIMB-UTLS)	FMI	L3								
Improved retrieval and extension of OMPS-LP onboard N21	IUP-UB	L2								
Development of merging scheme for OMPS on SNPP and N21	IUP-UB	L3								



2.2 Total ozone developments

2.2.1 OMI GODFIT using Collection 4 (level-2)

- Reprocessing of Collection 4 OMI L2 total ozone with the Collection 3 cloud product and improved flagging scheme
- Verification of Collection 3 and new Collection 4 total ozone data

2.2.2 GTO-ECV (level-3)

- Inclusion of reprocessed OMI Col 4 in GTO-ECV
 - Generation of daily and monthly OMI Col 4 level-3 data based on OMI Col 4 level-2 data (see Sec. 2.2.1)
 - Usage of OMI Col 4 level-3 as a reference and computation of correction factors for GOME, SCIAMACHY, GOME-2A/B/C, and TROPOMI based on comparisons during overlap periods
 - Application of correction factors to daily level-3 data
 - Merging of daily OMI Col 4 level-3 data and adjusted daily level-3 data from other sensors
- Development of clear-sky GTO-ECV for use by GTO-LIMB
 - Generation of daily clear-sky level-3 data for GOME, SCIAMACHY, OMI, GOME-2A/B/C, and TROPOMI
 - Application of existing correction factors to daily clear-sky level-3 (all sensors except for OMI)
 - Merging of daily clear-sky level-3 data (OMI and adjusted GOME, SCIAMACHY, GOME-2A/B/C, and TROPOMI)

2.3 Tropospheric ozone developments

2.3.1 GTTO-ECV (level-3)

- Adapt DLR's CCD algorithm settings to the Collection 4 OMI GODFIT L2 2 data.
- Generate monthly tropospheric ozone column datafiles.
- Update the harmonised and merged GTTO-ECV tropospheric ozone dataset.

2.3.2 CHORA scheme applied to GODFIT total ozone (level-3)

- Reprocess CHORA for the updated OMI Collection 4 GODFIT dataset
- Process CHORA using SCIAMACHY and GOME GODFIT total ozone
- Optimise the merging algorithm
- Test the CHORA-Local Cloud algorithm for low resolution sensors



2.3.3 GTO-LIMB (level-3)

- Inclusion of cloud-free GTO-ECV, update of the processor
- Processing a test dataset and its preliminary evaluation (simple analyses of biases by comparison with other datasets)
- Processing of the full GTO-LIMB dataset
- Preliminary assessment of the dataset
- Preparation of the corresponding documentation

2.3.4 Geostationary sensors (GEMS, TEMPO; level-2)

- Continue refinement of retrieval scheme settings and soft calibration.
- Describe consolidated scheme in ATBD.

2.4 Nadir profile developments

2.4.1 Sentinel-5P (level-2)

- Generate sub-sets of data for internal testing (verification of CAMS, checking internal consistency etc).
- Document updates in ATBD

2.4.2 GOP-ECV (level-3)

- Adaption of GOP-ECV merging scheme for inclusion of RAL GOME-2C and S5P products
- Merging of updated and new RAL products
- Application of clustering procedure to merged profiles
- Calculation of Jacobians using existing Neural Network approach
- Scaling of merged profiles using GTO-ECV total ozone columns as a reference

2.4.3 Merged IASI (level-3)

- Updates to the merging scheme
- Continued refinement of uncertainty calculation

2.5 Limb profile developments

2.5.1 LIMB-UTLS (level-3)

- Computation of monthly mean values from individual instruments and their intercomparisons
- Merging the data from individual instruments into one climate data record
- Evaluation of trends in the UTLS

2.5.2 OMPS-LP on NOAA-21 (level-2)

- Provide a final retrieval version of NOAA-21 observations covering 2023-2025



2.5.3 Merged OMPS-LP SNPP and NOAA-21 (level-3)

- Preliminary inter-comparison of the retrieved ozone profiles from OMPS-LP onboard Suomi-NPP and NOAA-21 to evaluate biases and differences;
- Development of the merging scheme of the two OMPS-LP time series; based on the fact that both retrieval schemes and the instruments are very similar, a simple debiasing of the two data records will be tested in addition to the merging of deseasonalized anomalies;
- Production of the merged OMPS-LP dataset covering the 2012-2025 period.